CUMULATIVE AUTHOR INDEX
Journal of Economic Entomology
Volume 89, 1996

A

Abd-Elghafar, S. F., 590
Adams, C. J., 881
Aguilar, J.I.C., 608
Al-Dawood, A. S., 898
Aldosari, S. A., 1359
Allee, L. L., 1608
Altman, D. W., 230
Altre, J. A., 311
Aluja, M., 654
Anderson, A., 488
Ang, B. N., 515
Appel, A. G., 402
Aras, P., 1080
Argauer, R. J., 957
Armstrong, J. S., 1281
Arnason, J. T., 820
Arpaia, M. L., 148

B

Backus, E. A., 898
Badenhausser, I., 1460
Bagwell, R. D., 583
Barrows, E. M., 442
Barszcz, E. S., 1254
Bartelt, R. J., 648
Bauske, E., 510
Beardsley, J. W., 1124, 1137
Beasley, C. A., 881
Beattie, G.A.C., 493
Beck, D. L., 74
Beck, T., 1028
Beers, E. H., 488
Behle, R. W., 1399
Belair, G., 614
Benedict, J. H., 230
Bennett, G. W., 322
Berberich, S. A., 230, 247
Berdeja, A., 1084
Berkebile, D. R., 411
Berlinger, M. J., 1453
Berry, R. E., 1105
Bevers, S. J., 343
Bezdicek, D. F., 550
Biddinger, D. J., 274
Bigelow, T. S., 1638
Bilsland, D. M., 353
Birdsall, S. L., 175
Blachly, J. S., 1497
Boethel, D. J., 525
Boivin, G., 614
Bolin, P. C., 82
Boling, J. A., 138
Bolognese, J. A., 33
Bonnot, G., 1446
Booth, S. R., 621
Bordovsky, D. G., 343
Botella, L., 453
Bourguet, D., 1060
Bouton, J. H., 766, 1631
Bowling, R., 558
Bradfield, G. E., 1531
Braman, S. K., 990
Brandl, D. G., 144, 712
Brecht, J. K., 1240
Breene, R. G., 536
Brewer, M. J., 1143
Brown, R. D., 488
Brust, G. E., 467, 981
Budia, F., 826
Buhler, W. G., 981
Buisson, C., 791
Bull, D. L., 119
Bullard, A., 1192
Buntin, G. D., 990, 1631
Burd, J. D., 1332
Burg, J. G., 138
Burkholder, W. E., 1638
Bush, M. R., 1067
Butts, R. A., 1004
Byers, R. A., 1033
Byrne, D. N., 1477

C

Cabrera, M., 654
Calvin, D. D., 1088
Cambron, S. E., 1309
Campbell, J. B., 411, 428
Campos, F., 594
Capela, R., 1060
Cardona, C., 204
Carlson, R. E., 751
Carrière, Y., 577
Carson, J. R., 175
Carson, W. G., 218
Carter, M.C.A., 1345
Castillo, F., 654
Castle, S. J., 805
Ceccarelli, A., 820
Celedonio-Hurtado, H., 654, 946
Chan, Jr., H. T., 353
Chaufaux, J., 791, 852
Chen, C.-C., 462
Cheng, L.-L., 462
Childers, C. C., 1240
Chinchilla, C., 396
Choo, H. Y., 97
Chortyk, O. T., 1233
Chrispeels, M. J., 204
Christeller, J. T., 39
Chu, C.-C., 175
Churchill, D. B., 353
Clegg, C. M., 689
Clement, S. L., 766, 775
Coates, W. E., 970
Cochran, D. G., 318
Coffelt, J. A., 1301
Coggins, M. L., 743
Collins, A. M., 608
Colwell, D. D., 1513
Constant, B., 1446
Converse, V., 359
Cook, S. P., 957
Corrales, I. I., 757
Cousin, M., 453
Couteaudier, Y., 852
Coutinho, H.L.C., 165
Cowgill, S. E., 224
Cowles, R. S., 1556

D

Dahan, R., 1453
Data, E. S., 544
Dauterman, W. C., 1074

Davis, D. W., 82
Davis, F. M., 1318
Davis, P. M., 1608
Day, R. K., 1
De Oliveira, D., 1080
Deaton, W. R., 230
Deland, J.-P., 577
Delost, S., 1192
Dennehy, T. J., 1130
Dennis, E. S., 1392
Desmarchelier, J. M., 1372
Diawara, M. M., 218
Diaz, M., 104
Dill, N. H., 957
Ding, Y., 493
Dogan, E. B., 1105
Dombrowski, J. A., 1130
Dong, Y.-J., 462
Dover, B. A., 27
Dreistadt, S. H., 481
Dryden, M. W., 421
Du, D. P., 493
Dybas, R. A., 33, 63, 594

E

East, D. A., 963
Eastman, C. E., 863
Echtenkamp, G. W., 189
Eckel, R.V.W., 1017
Eckenrode, C. J., 1582
Economopoulos, A. P., 1387
Elliott, N. C., 1332
Ellsbury, M. M., 74
Elmer, W. H., 1267
Encarnacion, C., 1137
Engle, C. E., 735
Enkerlin, W., 946
Eritja, R., 1338
Evans, M. A., 775

F

Fallek, C., 1453
Farrar, Jr., R. R., 957, 1088
Febway, G., 1446
Ferguson, C. S., 1109
Fermaud, M., 1658
Ferrandino, F. J., 1267
Finardi-Filho, F., 204
Flanders, K. L., 373
Fleischer, S. J., 435, 501, 1088
Flinn, P. W., 211
Flint, H. M., 1288
Forschler, B. T., 678, 1497
Fory, L. F., 204
Foster, R. E., 981
Fournier, Y., 614
Franco, A. A., 165
Franz, G., 695, 1175
French II, N. M., 124
Friedlender, M., 1453
Froissart, R., 1213
Fuester, R. W., 957

G

Galan-Wong, L. J., 1424
Gallo-Meagher, M., 536
Garcia, J. A., 104
Gaston, L. K., 381
Gelernter, W. D., 1084
Gent, M.P.N., 1267
Gerber, R. G., 381
Gibson, K. E., 1204
Gilbertz, D. A., 990
Gill, R. F., 197
Gillespie, J. M., 170
Gilois, N., 791
Gilrein, D. O., 386
Godfrey, L. D., 1431
Goss, Peter J. E., 288
Got, B., 852
Gould, F., 891
Grafius, E. J., 311
Green, B. L., 347
Greene, G. L., 848
Grenier, S., 1446
Gries, G., 396
Griffith, M. B., 442
Grossa, J.-P. T., 453
Guedes, R.N.C., 27
Guillén, J., 654
Gunning, R. V., 816
Guo, Y.-Y., 11
Gutierrez, J., 1354

H

Haack, R. A., 1345
Haagsma, K., 134
Haggis, M. J., 1
Hagstrum, D. W., 211
Halverson, S. L., 1638
Hammon, R. W., 1621
Hammond, R. B., 1028
Harcourt, R. L., 1392
Hardee, D. D., 170
Hardin, J. M., 715
Hartsell, P. L., 705
Hatchett, J. H., 562, 705
Haverty, M. I., 922
Hayes, J. L., 1345
Hellmich II, R. L., 608
Helson, B., 820
Hemingway, J., 322
Henneberry, T. J., 175, 805, 1288
Hennessey, M. K., 987
Herbert, Jr., D. A., 515
Herner, A. E., 689
Hesterman, O. B., 743
Hickle, L. A., 1084
Hickman, J. M., 832
Hill, B. D., 1004
Hinkle, N. C., 1406
Hirano, C., 302, 307
Hodges, R. L., 515
Hoffmann, M. P., 386, 1109
Hogsette, J. A., 940, 1521
Horiike, M., 302, 307
Hou, R. F., 462
Hough-Goldstein, J., 1116
Hoy, C. W., 963, 1223
Huang, M. D., 493
Hudson, R. D., 1601
Hull, L. A., 274
Hutchison, W. D., 82

I

Illum, V. L., 1088
Inscoe, M. N., 1088
Irvine, J. E., 536
Isman, M. B., 602, 1379

J
Jackson, C. G., 353
Jackson, J. J., 74, 366
Jahn, G. C., 1124
James, D. G., 648
Jang, E. B., 950
Johnson, J. A., 197
Johnson, M. W., 263
Johnson, R. C., 766
Jones, D. C., 1601
Jones, S. C., 906
Jones, V. P., 996

K
Kambhampati, S., 27
Kanagaratnam, P., 359
Kanga, L.H.B., 583
Kard, B. M., 682
Kaufman, P., 963
Kaupp, W., 820
Kaya, H. K., 97
Kays, S. J., 544
Kazmierczak, Jr., R. F., 1166
Kendall, W. A., 1033
Kennedy, G. G., 124, 475, 1468
Kerns, D. L., 735
Kershaw, L. S., 957
Kindler, S. D., 1621
King, E. G., 1095
King, J. R., 987
Kirkwyland, J. J., 386
Kitch, L. W., 1325
Kloepper, J., 510
Klotz, J. H., 673
Klubertanz, T. H., 751
Knapp, F. W., 138
Knight, A., 1067
Knoblett, J. N., 841
Knowles, C. O., 590
Koehler, K. J., 111
Koehler, P. G., 668, 915, 1491
Kohel, R. J., 230
Kok, L. T., 63
Kolmes, S. A., 1130
Konstantopoulou, M. A., 1387
Koppenhöfer, A. M., 97
Kotze, A. C., 571
Koukkari, W. L., 898
Krupa, D. A., 594

L
Labatte, J.-M., 852
Lacy, M. L., 218
Lagnel, J., 1354
Laing, W. A., 39
Laitinen, A. M., 640
Lamondia, J. A., 1267
Lampert, E. P., 1017
Landis, D. A., 743
Lapointe, S. L., 757
Lasota, J. A., 33, 63
Lateef, S. S., 224
Lawrence, R. K., 1345
Legg, D. E., 1143
Leggett, J. E., 1288
Lenz, M., 906
Lereclus, D., 791
Lester, D. G., 766, 775
Levin, D. B., 640
Levine, E., 1010
Lewis, V. R., 922
Lhaloui, S., 562
Li, M., 493
Liang, Q., 1531
Liang, W. G., 493
Liebhold, A., 1192
Liedo, P., 654
Lim, J. L., 1161
Lingren, P. D., 119
Liu, T.-X., 1233
Liu, Y.-B., 798
Llewellyn, D., 1392
Lockwood, J. A., 1143
Lopez, L., 946
Lopez, Jr., J. D., 119, 583
Lowery, D. T., 602
Luzader, E., 1192
Lysyk, T. J., 1513

M
Mackey, B. E., 144, 712
Madden, L. V., 1223
Maese, G. J., 253
Mallya, G., 1
Mankin, R. W., 1301
Manoukas, A. G., 1387
Manso, F., 1208
Mansour, M., 695, 1175
Markwick, N. P., 39
Martinez, A. J., 104
Matthiessen, J. N., 1372
Mau, R.F.L., 263
Mauk, P. A., 1431
Mauldin, J. K., 682
May, S. A., 197
Mayer, J. E., 204
McAvoy, T. J., 63
McCreight, J. D., 1663
McCutchen, B. F., 583
McGinn, D., 253
McGuire, M. R., 863, 1399, 1424
McGuire, R. C., 1181
McInnis, D. O., 1137
McKenzie, J. A., 288
McLaughlin, J. M., 957
McPheron, B. A., 274
McPherson, D., 1116
McPherson, R. M., 1601
Meagher, Jr., R. L., 536
Medrano-Roldan, H., 1424
Meloche, F., 1587
Mentzer, P., 1325
Mesterházy, Á., 1649
Metzger, M. E., 935
Meusnier, S., 852
Migeon, A., 852
Millar, J. G., 131
Miller, D. M., 668
Miller, G. T., 705, 1186
Miller, J. C., 877
Miller, J. M., 373
Miller, R. W., 689
Miller, S. A., 1223
Misenheimer, M. E., 1638
Mitchell, F. L., 1593
Moffitt, H. R., 56
Moore, C. J., 648
Moore, P. P., 771
Morales-Ramos, J. A., 1095
Morris, O. N., 359

Morse, J. G., 148, 1438
Morton, R., 1392
Moss, J. I., 51, 1151
Moyer, D. D., 386
Mullens, B. A., 1406
Müller-Cohn, J., 791
Mumford, J. D., 1
Munson, A. S., 1204
Murdock, L. L., 1325
Murral, D. J., 1223

N

Naranjo, S. E., 1288
Natwick, E. T., 175
Nault, B. A., 124, 475, 1468
Nault, L. R., 1223
Navajas, M., 1354
Nechols, J. R., 631
Neven, L. G., 700
Newton, M. R., 39
Ng, S. S., 1084
Nordheim, E. V., 1638
Norris, D. L., 1047
Norton, G. A., 1
Nottingham, S. F., 544
Nyrop, J. P., 386

O

Odiyo, P. O., 1
Ohm, H. W., 1309
Oi, D. H., 673, 1501, 1526
Oi, F. M., 915
Oloumi-Sadeghi, H., 863, 1010
Olson, D. L., 631
Osborn, T. C., 204
Osman, A. A., 1359
Otvos, I. S., 640, 1531
Owusu, E. O., 302, 307

P

Palumbo, J. C., 735, 970,1477
Papp, M., 1649
Pasteur, N., 1354
Patterson, R. S., 668, 1309, 1491
Peacock, W. J., 1392
Peaden, R. N., 1033
Peairs, F. B., 1281
Pedigo, L. P., 111, 183, 781
Penman, D. R., 722
Perez, C. J., 1364
Perry, S. A., 442
Peterson, N. C., 1577
Petzoldt, C., 1109
Pfannenstiel, R. S., 536
Phillips, D. V., 990
Pitblado, R. E., 1587
Plapp, Jr., F. W., 583
Podgwaite, J. D., 957
Potter, D. A., 156
Powell, A. J., 156
Prabhaker, N., 805
Pracros, P., 1658
Pree, D. J., 1254
Preisler, H. K., 1084
Presciuttini, S., 15
Presley, S. M., 138
Proshold, F. I., 337
Purcell, M. F., 1566
Pusztai-Carey, M., 798

Q

Quesada-Allue, L. A., 1208
Quinn, M. A., 550
Quintero, C. M., 204
Quisenberry, S. S., 239
Quisumbing, A. R., 170

R

Radcliffe, E. B., 898
Rae, D. J., 493
Rafi, M. M., 239
Ratcliffe, R. H., 1309
Ravlin, W., 1192
Raymond, M., 1060
Reardon, R., 1192
Reed, G. L., 1105
Rehfield, L. M., 700
Reid, B. L., 322, 421
Reid, S. J., 39
Reierson, D. A., 134, 935
Rhainds, M., 396
Riba, G., 852
Rice, R. E., 131
Richmond, D. S., 447
Ridgway, R. L., 957, 1088
Riedl, H., 621
Riggin-Bucci, T. M., 891
Riggs, D. M., 386
Ring, D. R., 230
Rios, E., 654
Robacker, D. C., 104
Roberts, A., 1192
Robertson, J. L., 1084, 1345
Robinson, W. H., 332
Roda, A. L., 743
Rodet, G., 453
Rodriguez-Saona, C., 1571
Roehrich, R., 1658
Roff, D. A., 583
Rojas, M. G., 1095
Romero, C., 104
Root, D. S., 1074
Rosenheim, J. A., 263
Ross, D. W., 1204
Rossi, E., 15
Rossignol, P. A., 1105
Royer, L., 614
Ruberson, J. R., 1601
Rubink, W. L., 608
Ruff, J. P., 1521
Rust, M. K., 134, 935

S

Sachs, E. S., 230
Safranski, G. G., 1309
Sanchez, C. A., 735
Sanchis, V., 791
Savoie, L., 1080
Schaafsma, A. W., 1587
Schaalje, G. B., 1004
Scharf, M. E., 322
Scheffrahn, R. H., 1156
Schmidtmann, E. T., 689
Schroeder, P. C., 1109
Schroeder, W. J., 1566
Schurle, B. W., 631
Schweizer, H., 1438
Scott, J. G., 51
Serrano, M. S., 757
Shackleton, M. A., 1372
Shade, R. E., 1325

Shanks Jr., C. H., 771
Shapiro, M., 957
Sharp, J. L., 1181
Shasha, B. S., 863, 1399, 1424
Shaw, D. V., 1250
Shearer, P. W., 996
Shellie, K. C., 700
Shelton, A. M., 33, 1109, 1364
Shetlar, D. J., 447
Shields, E. J., 373
Shorey, H. H., 381
Shufran, R. A., 46
Shuman, D., 211, 1301
Simmons, A. M., 1663
Sims, S. R., 247
Sisk, C. B., 381
Sivasupramaniam, S., 1359
Skoda, S. R., 411, 428
Slansky, F., 915
Sloderbeck, P. E., 46
Slosser, J. E., 343
Slowik, T. J., 347
Small, G. J., 322
Smilowitz, Z., 435, 501
Smith, B. C., 1166
Smith, J. A., 1028
Smith, Jr., J. W., 1593
Smith II, L. M., 402
Smitley, D. R., 1262, 1577
Snodgrass, G. L., 170, 783, 1053
Snook, M. E., 1040
Soderstrom, E. L., 144, 712
Sonvico, A., 1208
Sornnuwat, Y., 1485
Spandl, E., 743
Spears, B., 1192
Spicer, P. G., 156
Spollen, K. M., 1379
Stange, K. A., 74
Stansly, P. A., 1233
Stark, J. D., 68, 1137
Staten, R. T., 175
Stevenson, A. B., 1254
Stockel, J., 1658
Stoner, K. A., 1267
Strong, C. A., 1491
Su, N.-Y., 915, 1156
Sutherst, R. W., 415
Szijj, C. E., 1406

T

Tabashnik, B. E., 263, 798
Takahashi, M., 1485
Tamez-Guerra, P., 1424
Tan, B. L., 493
Tan, W.-J., 11
Tang, J., 493
Taniguchi, M. H., 353
Teixeira, M.L.F., 165
Teulon, D.A.J., 722
Thier, R. W., 1204
Thomas, G. D., 411, 428
Thorpe, K. W., 957
Thorvilson, H. G., 347
Toba, H. H., 56
Tonhasca, Jr., A., 1477
Toscano, N. C., 805, 870
Townsend, M. L., 678
Tozer, R. S., 415
Trottier, M., 359
Trumble, J. T., 218, 1571
Tsagkarakou, A., 1354
Tsunoda, K., 1485

U,V

Uchida, G. K., 1137
Unruh, T., 1067
Vail, K. M., 673, 1501
Vaissière, B. E., 453, 1213
Valenzuela, C., 175
Valero, K. A., 197
Valles, S. M., 21, 1508
Van Den Berg, J., 1318
Vandenberg, J. D., 1418
Vanleeuwen, D. M., 253
Vargas, R. I., 1137
Vaughn, T. T., 963
Vega, F. E., 1424
Venables, L., 957
Viands, D. W., 1033
Villa-Castillo, J., 1537
Villani, M. G., 1556
Viñuela, E., 826
Vongkaluang, C., 1485
Vu, L. T., 1372

W

Wagner, M. R., 1537
Wagner, T. L., 715
Walker, G. P., 148
Wallbank, B. E., 571
Walsh, D. B., 1250
Walsh, W. A., 1137
Walters, T. W., 1582
Ward, C. R., 253
Watson, D. M., 493
Watson, T. F., 1359
Wauchope, R. D., 689
Weathersbee III, A. A., 170
Webb, R. E., 957
Weber, C. A., 1431
Weber, H., 689
Weddle, D., 805
Weddle, R. C., 175
Weisz, R., 435, 501
Welch, N. C., 1250
Welter, S. C., 263
Weseloh, R. M., 1546
Whalon, M. E., 311, 1047
White, G. B., 957
White, K. K., 218
Widstrom, N. W., 1040
Wier, A. T., 525
Wierenga, J. M., 1047
Wilcox, M., 735
Wilde, G. E., 46, 558, 562
Willers, J. L., 715
Williams, D. F., 673, 1501, 1526
Williams, D. W., 156
Williams, W. P., 1318
Wilsey, W. T., 1109
Wilson, A. D., 766
Wiseman, B. R., 1040
Witkowski, J. F., 189
Woodson, W. D., 74
Wratten, S. D., 832
Wyman, J. A., 963

X,Y

Xiong, J. J., 493
Yao, C., 510
Yap, H. H., 1161
Yee, W. L., 870
Yokoyama, V. Y., 705, 1186
Yoshimura, T., 1485
Young, S. Y., 92
Youssef, N. N., 841
Yu, S. J., 21, 1508

Z

Zalom, F. G., 1250
Zehnder, G., 510
Zeiss, M. R., 111, 183
Zemetra, R. S., 239
Zhai, J., 332
Zou, Y., 92

CUMULATIVE SUBJECT INDEX
Journal of Economic Entomology
Volume 89, 1996

3-methylcyclohex-2-en-1-one,
  antiaggregation pheromones, 1204
  Dendroctonus pseudotsugae, 1204
5-decynyl acetate,
  Anarsia lineatella, 131
  pheromone antagonist, 131
"-amylase activity,
  leafrollers, 39
  potato tuber moth, 39

A

abamectin, bioassay, 488
  Plutella xylostella, 33
  resistance monitoring, 33, 594
  Tetranychus urticae, 594, 488
Acalymma vittatum,
  integrated pest management, 981
  muskmelon, 981
Acanthoscelides obtectus, beans, 204
  Zabrotes subfasciatus, 204
Acari, degree-days, 447
  spruce spider mite, 447
acetylene reduction,
  defoliation, 525
  Pseudoplusia includens, 525
Acremonium fungi,
  aphids, 766
  Diuraphis noxia, 766
Acromyrnex landolti,
  Atta laevigata, 757
  leafcutting ants, 757
Actinidia deliciosa,
  Apis mellifera, 453
  pollination effective ness, 453
action thresholds,
  binomial and beta-binomial probability distributions, 1468
  presence-absence sampling, 1468
adjuvant, formulation, 957
  Lymantria dispar, 957
adult control,
  corn earworm, 119
  feeding behavior, 119
adult survival, larval development, 940
  Musca domestica, 940
aggregation pheromone,
  Nutidulid beetles, 648
  trap design, 648
alcohol dehydrogenase,
  Bactrocera oleae, 1387
  quality control, 1387
alfalfa, *Bemisia argentifolii*, 870
  forage grasses, 743
  Hypera postica, 743
  ovipositional preference, 870
  resistance, 1033
  Sitona hispidulus, 1033
alfalfa weevil, grazing, 1631
  Hyera postica, 1631
alpha-terthienyl, botanical insecticide, 820
  photoxin, 820
amitraz, dicofol, 1130
  Tetranychus urticae, 1130
Amyelois transitella,
  pistachio, 197
  postharvest, 197
Anarsia lineatella,
  5-decynyl acetate, 131
  pheromone antagonist, 131
Anastrepha, Diptera, 654
  Tephritidae, 654
Anastrepha fraterculus,
  Ceratitis capitata, 1208
  random amplified polymorphic DNA polymerase chain reaction, 1208
Anastrepha ludens,
  Bacillus thuringiensis, 104
  biological insecticides, 104
Anastrepha suspensa,
  avermectin, 987
  bait, 987
  Citrus sinensis, 1181
  postharvest, 1181
Anastrepha, Diptera, 654
  Tephritidae, 654
Anomada orientalis,
  Popillia japonica, 1556
  Rhizotrogus majalis, 1556
Anthonomous grandis,
  Heliothis virescens, 715
  survival analysis, 715
Anthonomus grandis grandis, cotton, 170
  in vitro rearing, 1095
  parasitoid, 1095
  trapping, 170
antiaggregation pheromones,
  3-methylcyclohex-2-en-1-one, 1204
  Dendroctonus pseudotsugae, 1204
antibiosis,
  Helicoverpa zea, 1040
  plant resistance, 1040
Anticarsia gemmatalis,
  Epilachna varivestis, 1601

soybean, 1601
Aonidiella aurantii,
California red scale, 148
citrus, 148
Aphididae, azadirachtin, 602
host-plant location, 1017
reproduction, 602
tobacco etch virus, 1017
aphids, *Acremonium* fungi, 766
Diuraphis noxia, 766
Aphis fabae, beet yellows closterovirus, 1431
Lysiphlebus testaceipes, 1431
Aphis gossypii,
carboxylesterase, 307
inhibition, 307
Apis mellifera, *Actinidia deliciosa*, 453
colony defense, 608
lowbush blueberry, 1080
pollination, 1080
pollination effectiveness, 453
repellents, 608
Apis mellifera adansonii, *Cucunis melo*, 1213
pollination, 1213
Apium graveolens,
somaclones, 218
Spodoptera exigua, 218
application pressure, *Ctenocephalides felis*, 421
pupae, 421
Arachis hypogaea, *Frankliniella fusca*, 1593
Frankliniella occidentalis, 1593
Argentine ants,
gustatory, 381
olfacatory, 381
armyworm, database, 1
Spodoptera exempta, 1
Artogeia rapae, *Cotesia orobenae*, 63
Pteromalus puparum, 63
aster yellows, lettuce, 1223
Macrosteles quadrilineatus, 1223
Atta laevigata, *Acromyrnex landolti*, 757
leafcutting ants, 757
attractant, *Diabrotica undecimpunctata howardi*, 515
peanut, 515
attraction, *Frankliniella bispinosa*, 1240
insect trapping, 1240
avermectin, *Anastrepha suspensa*, 987
bait, 987
Tetranychus urticae, 1250
translaminar activity, 1250
avocado, oil, 1571
Spodoptera exigua, 1571
Azadirachta indica, *Bactrocera dorsalis*, 462
neem seed kernel extract, 462
azadirachtin, Aphididae, 602
reproduction, 602

B

Bacillus thuringiensis, *Anastrepha ludens*, 104
Brassica oleracea, 891
biological insecticides, 104
cornstarch, 1424
*cry*III, 550
CryIC toxin, 798
diamondback moth, 1084
formulation, 863, 1088, 1424
insecticidal toxin, 791
microbial pesticide, 863
MVP, 1084
Ostrinia nubilalis, 1088, 1399
Plutella xylostella, 798, 891, 1364
resistance, 1364
Sitona lineatus, 550
Spodoptera exigua, 1399
Spodoptera littoralis, 791
Bacillus thuringiensis resistance, *Bacillus thuringiensis* transgenic, 311
Leptinotarsa decemlineata, 311
Bacillus thuringiensis subsp. *aizavai*, *Mamestra configurata*, 359
toxicity, 359
Bacillus thuringiensis transgenic, *Bacillus thuringiensis* resistance, 311
Leptinotarsa decemlineata, 311
Bacillus thuringiensis-transgenic potatoes, *Hippodamia convergens*, 1105
Myzus persicae, 1105
Bactrocera, *Ceratitis*, 353
Diachasmimorpha, 353
Bactrocera dorsalis, *Azadirachta indica*, 462
neem seed kernel extract, 462
Bactrocera oleae, alcohol dehydrogenase, 1387
quality control, 1387
bagworm, *Oiketicus kirbyi*, 396
oil palm, 396

bait, *Anastrepha suspensa*, 987
avermectin, 987
Blattella germanica, 1491
pyrethroids, 1491
barriers, *Iridomyrmex humilis*, 134
pest management, 134
bean leaf beetle, planting date, 183
soybean, 183
beans, *Acanthoscelides obtectus*, 204
Zabrotes subfasciatus, 204
beef steers, Haematobia irritans, 138
physiological response, 138
beet yellows closterovirus, *Aphis fabae*, 1431
Lysiphlebus testaceipes, 1431
Bemisia argentifolii, alfalfa, 870
Bemisia tabaci, 735, 970, 1233
electrostatic application, 970
insecticide resistance, 805
Lactuca sativa, 735
Nicotiana sugar ester isolates, 1233
ovipositional preference, 870
resistance monitoring, 805
Bemisia tabaci, *Bemisia argentifolii*, 735, 970, 1233
electrostatic application, 970
host plant resistance, 1663
Lactuca sativa, 735
Lygus hesperus, 1288
Nicotiana sugar ester isolates, 1233
Pectinophora gossypiella, 1288
vegetable, 1663
beta-binomial distribution, decision making, 386
sweet corn, 386
binomial and beta-binomial probability distributions, action thresholds, 1468
presence-absence sampling, 1468
bioassay, abamectin, 488
Ctenocephalides felis, 935
Helicoverpa armigera, 816
insecticides, 935
pyrethroid, 816
Tetranychus urticae, 488
biocontrol, *Creophilus maxillosus*, 848
rearing, 848
bioinsecticide, Colorado potato beetle, 467
natural enemies, 467
biological control, *Diabrotica virgifera virgifera*, 366
Diabrotica spp., 74
Diptera, 1406
economic analysis, 631
entomopathogenic nematodes, 74, 366
Gryon pennsylvanicum, 631
predators, 1406
biological insecticides, *Anastrepha ludens*, 104
Bacillus thuringiensis, 104
biotype, *Callosobruchus maculatus*, 1325
Mayetiola destructor, 1309
plant resistance, 1325
wheat breeding, 1309
Blattella germanica, bait, 1491
DEET, 1157
detoxication, 21
enzyme inhibitor, 1508
insecticide, 1157
insecticide resis-tance, 21, 322
microsomal oxidase, 1508
pyrethroids, 332, 1491
resistance, 332
resistance mechanisms, 322
Blissus leucopterous leucopterous, maize, 1318
plant resistance, 1318
boll weevil, eradication, 1166
extension, 1166
bollworm, tobacco budworm, 230
transgenic cotton, 230
borates, termites, 682
wood preservation, 682
botanical insecticide, alpha-terthienyl, 820
photoxin, 820
Brachycaudus helichrysi, sequential sampling, 1460
sunflower, 1460
Brassica oleracea, Bacillus thuringiensis, 891
Delia radicum, 1109
entomopathogenic nematodes, 1109
Plutella xylostella, 891
Bruchus pisorum, feeding behavior, 775
peas, 775
bucket traps, *Ceratitis*

capitata, 1137
color, 1137

C

cabbage maggot,
crucifers, 614
nematode, 614
California red scale,
Aonidiella aurantii, 148
citrus, 148
Callosobruchus maculatus, biotype, 1325
plant resistance, 1325
carboxylesterase,
Aphis gossypii, 307
cotton aphid, 302
elctrophoresis, 302
inhibition, 307
carrot weevil,
pyrethroids, 1254
synergists, 1254
cattle, *Haematobia*, 415
traps, 415
Cecidomyiidae, neem, 1379
Phytoseiidae, 1379
Celtis sinensis, *Coccus pseudomagnoliarum*, 481
spray oil, 481
Ceratitis, *Bactrocera*, 353
Diachasmimorpha, 353
Ceratitis capitata,
Anastrepha fraterculus, 1208
bucket traps, 1137
color, 1137
cyromazine, 827
gamma radiation, 695, 1175
insect growth inhibitor, 827
quarantine, 1175
quarantine treatment, 695
random amplified polymorphic DNA polymerase chain reaction, 1208
Cerotoma arcuata,
nitrogen fixation, 165
Phaseolus vulgaris, 165
Cerotoma trifurcata,
damage, 189
degree-day, 111
soybean, 189
thermal unit, 111
chlorophyll fluorescence,
host plant resistance, 1332
chlorosis,
photosynthesis, 990
Stephanitis pyrioides, 990
chlorpyrifos, control, 1004
Diuraphis noxia, 1004
Choristoneura rosaceana,
cross-resistance, 577
insecticide resistance, 577
Chrysophtharta agricola,
Chrysophtharta bimaculata, 1392
Mnesampela privata, 1392
Chrysophtharta bimaculata,
Chrysophtharta agricola, 1392
Mnesampela privata, 1392
Cicer arietinum,
Helicoverpa armigera, 224
host plant resistance, 224
citrus, *Aonidiella aurantii*, 148
California red scale, 148
Citrus sinensis,
Anastrepha suspensa, 1181
postharvest, 1181
citrus thrips, leaf litter, 1438
soil pupation, 1438
Coccus pseudomagnoliarum,
Celtis sinensis, 481
spray oil, 481
codling moth, controlled atmospheres, 144
heat, 144
colony defense, *Apis mellifera*, 608
repellents, 608
color, bucket traps, 1137
Ceratitis capitata, 1137
Colorado potato beetle,
bioinsecticide, 467
cross-resistance, 1047
natural enemies, 467
transgenic potatoes, 1047
containerized baits,
Linepithema humile, 1497
perimeter treatment, 1497
control, chlorpyrifos, 1004
Diuraphis noxia, 1004
quarantine, 1526
Solenopsis invicta, 1526
control model, *Ostrinia nubilalis*, 852
transgenic hybrid, 852
control potential, German cockroach, 318
resistance ratios, 318
controlled atmospheres,
codling moth, 144
Cydia pomonella, 712
heat, 144, 712
Coptotermes formosanus,
molting inhibition, 1156
Reticulitermes flavipes, 1156
corn borer,
cultural control, 1587
tillage, 1587
corn earworm,
adult control, 119
feeding behavior, 119
cornstarch, *Bacillus thuringiensis*, 1424

formulation, 1424
Cotesia orobenae,
Artogeia rapae, 63
Pteromalus puparum, 63
Cotinis nitida,
Cyclocephala spp., 156
Popillia japonica, 156
cotton, *Anthonomus grandis grandis*, 170
ecotoxicology, 343
planting date, 343
trapping, 170
cotton aphid,
carboxylesterase, 302
elctrophoresis, 302
cottonseed,
CryIA protein, 247
Heliothis virescens, 247
Creophilus maxillosus,
biocontrol, 848
rearing, 848
crop rotation,
Delia antique, 1582
infestation, 435
Leptinotarsa decemlineata, 435
onion maggot, 1582
cross-resistance,
Choristoneura rosaceana, 577
Colorado potato beetle, 1047
insecticide resistance, 577
transgenic potatoes, 1047
crucifers,
cabbage maggot, 614
nematode, 614
*cry*III, *Bacillus thuringiensis*, 550
Sitona lineatus, 550
CryIA protein,
cottonseed, 247
Heliothis virescens, 247
CryIC toxin, *Bacillus thuringiensis*, 798
Plutella xylostella, 798
Ctenocephalides felis,
application pressure, 421
bioassay, 935
insecticides, 935
pupae, 421
cucumber,
cucumber beetle, 510
Erwinia tracheiphila, 510
cucumber beetle,
cucumber, 510
Erwinia tracheiphila, 510
Cucunis melo, *Apis mellifera adansonii*, 1213
pollination, 1213
Culex pipiens, discriminant analysis, 1338
gynandromorphs, 1338
insecticide resistance, 1060
insensitive acetylcholinesterase, 1060
cultural control,
corn borer, 1587
diapause, 963
Leptinotarsa decemlineata, 963
Pectinophora gossypiella, 175
short-season cotton, 175
tillage, 1587
current, electric fields, 347
Solenopsis invicta, 347
Cyclocephala spp.,
Cotinis nitida, 156
Popillia japonica, 156
Cydia pomonella,
controlled atmospheres, 712
heat, 712
larval irradiation, 56
pome fruit, 700
quarantine treatment, 56
Tortricidae, 700
cyfluthrin, resistance, 1359
Spodoptera exigua, 1359
Cylas formicarius,
Ipomoea batatas, 544
sweetpotato, 544
cyromazine,
Ceratitis capitata, 827
insect growth inhibitor, 827
Manduca sexta, 1074
Musca domestica, 689
Stomoxys calcitrans, 689
toxicity, 1074

D

damage, *Cerotoma trifurcata*, 189
soybean, 189
damage potential,
Diaspididae, 1453
overwintering biology, 1453
database, armyworm, 1
Spodoptera exempta, 1
decision making,
beta-binomial distribution, 386
sweet corn, 386
DEET, *Blattella germanica*, 1157
insecticide, 1157
defoliation, acetylene reduction, 525
egg-mass counts, 1546
Leptinotarsa decemlineata, 1267
Lymantria dispar, 1192, 1546
potato early dying disease, 1267
Pseudoplusia includens, 525
suppression, 1192
degree-day, Acari, 447
Cerotoma trifurcata, 111
development, 881

Meteorus, 877
Pectinophora gossypiella, 881
Peridroma, 877
spruce spider mite, 447
thermal unit, 111
Delia antique,
crop rotation, 1582
onion maggot, 1582
Delia radicum,
Brassica oleracea, 1109
entomopathogenic nematodes, 1109
deltamethrin, insecticide resistance, 15
Piophila casei, 15
deltamethrin susceptibility, *Heliothis armigera*, 11
metabolism, 11
Dendroctonus pseudotsugae, 3-methylcyclohex-2-en-1-one, 1204
antiaggregation pheromones, 1204
Derocerus reticulatum,
gray garden slug, 1028
molluscicides, 1028
detoxication,
Blattella germanica, 21
insecticide resistance, 21
detoxification enzymes,
founder event, 263
population bottleneck, 263
development,
degree-days, 881
Pectinophora gossypiella, 881
Diabrotica spp.,
biological control, 74
entomopathogenic nematodes, 74
Diabrotica undecimpunctata howardi, attractant, 515
peanut, 515
Diabrotica undecimpunctata undecimpuncta,
Nematoda, 97
Steinernema, 97
Diabrotica virgifera virgifera, biological control, 366
entomopathogenic nematodes, 366
oviposition, 1010
root injury, 1010
Diachasmimorpha,
Bactrocera, 353
Ceratitis, 353
diamondback moth,
Bacillus thuringiensis, 1084
MVP, 1084
diapause,
cultural control, 963
Leptinotarsa decemlineata, 963
Diaspididae,
damage potential, 1453
overwintering biology, 1453
diazinon, silicone surfactants, 1566
tephritidae, 1566
dicofol, amitraz, 1130
Tetranychus urticae, 1130
dieldrin resistance,
refugia, 288
simulation, 288
diflubenzuron, pear, 621
pear psylla, 621
Plecoptera, 442
Trichoptera, 442
Diptera, *Anastrepha*, 654
biological control, 1406
predators, 1406
Tephritidae, 654
discriminant analysis,
Culex pipiens, 1338
gynandromorphs, 1338
Diuraphis noxia,
Acremonium fungi, 766
aphids, 766
chlorpyrifos, 1004
control, 1004
Diuraphis trittici, 1621
entomopathogenic fungus, 1418
Homoptera, 1621
microbial control, 1418
plant resistance, 239
snow cover, 1281
Triticum aestivum, 239
winter mortality, 1281
Diuraphis trittici,
Diuraphis noxia, 1621
Homoptera, 1621
Douglas-fir tussock moth,
genotype variation, 640
nuclear polyhedrosis virus, 640
drywood termite,
fumigation, 922
Incisitermes, 922
Dysmicoccus neobrevipes,
mutualism, 1124
Pheidole megacephala, 1124

E

economic analysis,
biological control, 631
Gryon pennsylvanicum, 631
ecotoxicology, cotton, 343
planting date, 343
egg-mass counts,
defoliation, 1546
Lymantria dispar, 1546
egg sampling, *Lambdina fiscellaria lugubrosa*, 1531
spatial dispersion, 1531
elctrophoresis,
carboxylesterase, 302
cotton aphid, 302
electric fields, current, 347
Solenopsis invicta, 347

electrophoresis, esterase, 46
Schizaphis graminum, 46
electrostatic application, *Bemisia argentifolii*, 970
Bemisia tabaci, 970
Empoasca fabae, feeding behavior, 898
Leptinotarsa decemlineata, 501
Medicago sativa, 898
Myzus persicae, 501
endosulfan, insecticide resistance, 1067
Myzus persicae, 1067
entomopathogenic fungus, *Diuraphis noxia*, 1418
microbial control, 1418
entomopathogenic nematodes, biological control, 74, 366
Brassica oleracea, 1109
Delia radicum, 1109
Diabrotica spp., 74
Diabrotica virgifera virgifera, 366
enzyme inhibitor, *Blattella germanica*, 1508
microsomal oxidase, 1508
Eoreuma loftini, plant resistance, 536
Saccharum, 536
Epilachna varivestis, *Anticarsia gemmatalis*, 1601
soybean, 1601
eradication, boll weevil, 1166
extension, 1166
Erwinia tracheiphila, cucumber, 510
cucumber beetle, 510
esterase, electrophoresis, 46
monooxygenase, 571
Oryzaephilus surinamensis, 571
Schizaphis graminum, 46
eupyrene sperm, *Lymantria dispar*, 337
reproductive biology, 337
extension, boll weevil, 1166
eradication, 1166

F

feeding, foraging behavior, 915
subterranean termites, 915
feeding behavior, adult control, 119
Bruchus pisorum, 775
corn earworm, 119
Empoasca fabae, 898
Medicago sativa, 898
peas, 775
fenoxycarb, Formosan subterranean termite, 906
insect growth regulators, 906
fenvalerate, *Helicoverpa zea*, 590
resistance, 590
flourescent brightener, nuclear polyhedrosis virus, 92
Pseudoplusia includens, 92
fluorescent microscopy, marked sterile flies, 946
ultra violet lamp, 946
forage grasses, alfalfa, 743
Hypera postica, 743
foraging behavior, feeding, 915
subterranean termites, 915
foraging population, subterranean termite, 1485
triple mark-recapture technique, 1485
Formosan subterranean termite, fenoxycarb, 906
insect growth regulators, 906
formulation, adjuvant, 957
Bacillus thuringiensis, 863, 1088, 1424
cornstarch, 1424
Lymantria dispar, 957
microbial pesticide, 863
Ostrinia nubilalis, 1088
founder event, detoxification enzymes, 263
population bottleneck, 263
Frankliniella bispinosa, attraction, 1240
insect trapping, 1240
Frankliniella fusca, *Arachis hypogaea*, 1593
Frankliniella occidentalis, 1593
Frankliniella occidentalis, *Arachis hypogaea*, 1593
Frankliniella fusca, 1593
fumigation, drywood termite, 922
Incisitermes, 922

G

Galleria mellonella, *Heterorhabditis bacteriophora*, 373
'Oswego' strain, 373
gamma radiation, Ceratitis capitata, 695, 1175
quarantine, 1175
quarantine treatment, 695
genetic differentiation, insecticide resistance, 1354
Tetranychus urticae, 1354
genetic variation, random

amplified polymorphic DNA, 1345
Tomicus piniperda, 1345
genotype variation, Douglas-fir tussock moth, 640
nuclear polyhedrosis virus, 640
German cockroach, control potential, 318
pyriproxyfen, 1161
resistance ratios, 318
wing twisting, 1161
glass vial bioassay, insecticide resistance, 783, 1053
Lygus lineolaris, 783, 1053
Gleditsia triacanthos, *Platytetranychus multidigitali*, 1577
'Skyline', 1577
Graphognathus leucoloma, methyl isothiocyanate, 1372
soil, 1372
grasshoppers, management errors, 1143
Melanoplus differentialis, 841
Nosema locustae, 841
sampling, 1143
gray garden slug, *Derocerus reticulatum*, 1028
molluscicides, 1028
grazing, alfalfa weevil, 1631
Hyera postica, 1631
greenbugs, host plant resistance, 558
sorghum, 558
Gryon pennsylvanicum, biological control, 631
economic analysis, 631
gustatory, Argentine ants, 381
olfacatory, 381
gynandromorphs, *Culex pipiens*, 1338
discriminant analysis, 1338

H

habitat manipulation, *Phacelia tanacetifolia*, 832
Syrphidae, 832
Haematobia, cattle, 415
traps, 415
Haematobia irritans, beef steers, 138
ivermectin, 1513
organophosphate ear tags, 1513
physiological response, 138
heat, codling moth, 144
controlled atmospheres, 144, 712
Cydia pomonella, 712
Helicoverpa armigera, bioassay, 816
Cicer arietinum, 224
host plant resistance, 224
pyrethroid, 816
Helicoverpa zea, antibiosis, 1040
fenvalerate, 590
insecticide tolerance monitoring, 583
plant resistance, 1040
pyrethroid tolerance, 583
resistance, 590
Heliothis armigera, deltamethrin susceptibility, 11
metabolism, 11
Heliothis virescens, *Anthonomous grandis*, 715
cottonseed, 247
CryIA protein, 247
survival analysis, 715
Hemiptera, *Macrolophus caliginosus*, 1446
tissue hardness, 1446
Heterorhabditis bacteriophora, *Galleria mellonella*, 373
'Oswego' strain, 373
Hippodamia convergens, *Bacillus thuringiensis*-transgenic potatoes, 1105
Myzus persicae, 1105
Homoptera, *Diuraphis noxia*, 1621
Diuraphis trittici, 1621
Hordeum vulgare, *Mayetiola destructor*, 562
Mayetiola hordei, 562
host-plant location, Aphididae, 1017
tobacco etch virus, 1017
host plant resistance, *Bemisia tabaci*, 1663
chlorophyll fluorescence, 1332
Cicer arietinum, 224
greenbugs, 558
Helicoverpa armigera, 224
Lobesia botrana, 1658
Ostrinia nubilalis, 82
sorghum, 558
sweet corn, 82
vegetable, 1663
Vitis vinifera, 1658
host plant suitability, *Macadamia integrefolia*, 996
southern green stink bug, 996
hydrogen phosphide, *Mayetiola destructor*, 705
multiple quarantine treatment, 705
Hypera postica, alfalfa, 743

alfalfa weevil, 1631
forage grasses, 743
grazing, 1631

I

in vitro rearing,
Anthonomus grandis grandis, 1095
parasitoid, 1095
Incisitermes,
drywood termite, 922
fumigation, 922
infestation, crop rotation, 435
Leptinotarsa decemlineata, 435
inhibition,
Aphis gossypii, 307
carboxylesterase, 307
insect growth inhibitor,
Ceratitis capitata, 827
cyromazine, 827
insect growth regulator,
fenoxycarb, 906
Formosan subterranean termite, 906
Monomorium pharaonis, 1501
perimeter baiting, 1501
Platynota idaeusalis, 274
resistance, 274
insect trapping,
attraction, 1240
Frankliniella bispinosa, 1240
insecticidal baits,
Periplaneta americana, 402
Periplaneta fuliginosa starvation, 402
insecticidal toxin, *Bacillus thuringiensis*, 791
Spodoptera littoralis, 791
insecticide, *Blattella germanica*, 1157
DEET, 1157
insecticide resistance,
Bemisia argentifolii, 805
Blattella germanica, 21, 322
Choristoneura rosaceana, 577
cross-resistance, 577
Culex pipiens, 1060
deltamethrin, 15
detoxication, 21
endosulfan, 1067
genetic differentiation, 1354
glass vial bioassay, 783, 1053
insensitive acetylcholinesterase, 1060
Lygus lineolaris, 783, 1053
Myzus persicae, 1067
organophosphates, 27
Piophila casei, 15
resistance mechanisms, 322
resistance monitoring, 805
Rhyzopertha dominica, 27
Tetranychus urticae, 1354
insecticide tolerance monitoring,
Helicoverpa zea, 583
pyrethroid tolerance, 583
insecticides, bioassay, 935
Ctenocephalides felis, 935
insensitive acetylcholinesterase, *Culex pipiens*, 1060
insecticide resistance, 1060
integrated pest management, *Acalymma vittatum*, 981
muskmelon, 981
petroleum spray oil, 493
Phyllocnistis citrella, 493
interactions, Multiple-insect damage, 475
yield/damage relationships, 475
Ipomoea batatas, *Cylas formicarius*, 544
sweetpotato, 544
Ips pini,
Pinus ponderosa, 1537
slash management, 1537
Iridomyrmex humilis,
barriers, 134
pest management, 134
ivermectin, Haematobia irritans, 1513
organophosphate ear tags, 1513

L

Lactuca sativa, *Bemisia argentifolii*, 735
Bemisia tabaci, 735
Lambdina fiscellaria lugubrosa, egg sampling, 1531
spatial dispersion, 1531
larval development, adult survival, 940
Musca domestica, 940
larval irradiation, *Cydia pomonella*, 56
quarantine treatment, 56
leaf litter, citrus thrips, 1438
soil pupation, 1438
leafcutting ants,
Acromyrnex landolti, 757
Atta laevigata, 757
leafrollers,
α-amylase activity, 39
potato tuber moth, 39
Leptinotarsa decemlineata, *Bacillus thuringiensis* resistance, 311
Bacillus

thuringiensis
transgenic, 311
crop rotation, 435
cultural control, 963
defoliation, 1267
diapause, 963
Empoasca fabae, 501
infestation, 435
Myzus persicae, 501
Perillus bioculatus, 1116
Podisus maculiventris, 1116
potato early dying disease, 1267
lettuce, aster yellows, 1223
Macrosteles quadrilineatus, 1223
Linepithema humile, containerized baits, 1497
Monomorium pharaonis, 673
perimeter treatment, 1497
Tapinoma melanocephalum, 673
Lobesia botrana, host-plant resistance, 1658
Vitis vinifera, 1658
lowbush blueberry, *Apis mellifera*, 1080
pollination, 1080
Lygus hesperus, *Bemisia tabaci*, 1288
Pectinophora gossypiella, 1288
Lygus lineolaris, glass vial bioassay, 783, 1053
insecticide resistance, 783, 1053
Lymantria dispar, adjuvant, 957
defoliation, 1192, 1546
egg-mass counts, 1546
eupyrene sperm, 337
formulation, 957
reproductive biology, 337
suppression, 1192
Lysiphlebus testaceipes, *Aphis fabae*, 1431
beet yellows closterovirus, 1431

M

Macadamia integrefolia, host plant suitability, 996
southern green stink bug, 996
Macrolophus caliginosus, Hemiptera, 1446
tissue hardness, 1446
Macrosteles quadrilineatus, aster yellows, 1223
lettuce, 1223
maize, *Blissus leucopterous leucopterous*, 1318
plant resistance, 1318
Mamestra configurata, *Bacillus thuringiensis* subsp. *aizawai*, 359
toxicity, 359
management, overwintering survival, 124
potato, 124
management errors, grasshoppers, 1143
sampling, 1143
Manduca sexta, cyromazine, 1074
toxicity, 1074
manure, tolerance, 1608
western corn rootworm, 1608
manure management, pest management, 411
Stomoxys calcitrans, 411
marked sterile flies, fluorescent microscopy, 946
ultra violet lamp, 946
Mayetiola destructor, biotypes, 1309
Hordeum vulgare, 562
hydrogen phosphide, 705
Mayetiola hordei, 562
multiple quarantine treatment, 705
wheat breeding, 1309
Mayetiola hordei, *Hordeum vulgare*, 562
Mayetiola destructor, 562
Medicago sativa, *Empoasca fabae*, 898
feeding behavior, 898
Melanoplus differentialis, grasshoppers, 841
Nosema locustae, 841
metabolism, deltamethrin susceptibility, 11
Heliothis armigera, 11
Meteorus, degree-days, 877
Peridroma, 877
methyl isothiocyanate, *Graphognathus leucoloma*, 1372
soil, 1372
microbial control, *Diuraphis noxia*, 1418
entomopathogenic fungus, 1418
microbial pesticide, *Bacillus thuringiensis*, 863
formulation, 863
microsomal oxidase, *Blattella germanica*, 1508
enzyme inhibitor, 1508
microwaves, *Sitophilus zeamais*, 1638
Tribolium castaneum, 1638
Mnesampela privata, *Chrysophtharta*

agricola, 1392
Chrysophtharta bimaculata, 1392
mode of action, nicotine, 51
organophosphate, 51
molluscicides, *Derocerus reticulatum*, 1028
gray garden slug, 1028
molting inhibition, *Coptotermes formosanus*, 1156
Reticulitermes flavipes, 1156
Monomorium pharaonis, insect growth regulator, 1501
Linepithema humile, 673
perimeter baiting, 1501
Tapinoma melanocephalum, 673
monooxygenase, esterase, 571
Oryzaephilus surinamensis, 571
Multiple-insect damage, interactions, 475
yield/damage relationships, 475
multiple quarantine treatment, hydrogen phosphide, 705
Mayetiola destructor, 705
multivariate analysis of variance, profile analysis, 253
time trends, 253
Musca domestica, adult survival, 940
cyromazine, 689
larval development, 940
sampling, 428
Stomoxys calcitrans, 428, 689
muskmelon, *Acalymma vittatum*, 981
integrated pest management, 981
mutualism, *Dysmicoccus neobrevipes*, 1124
Pheidole megacephala, 1124
MVP, *Bacillus thuringiensis*, 1084
diamondback moth, 1084
Myzus persicae, endosulfan, 1067
insecticide resistance, 1067
Myzus persicae, *Bacillus thuringiensis*-transgenic potatoes, 1105
Empoasca fabae, 501
Hippodamia convergens, 1105
Leptinotarsa decemlineata, 501

N

natural enemies, bioinsecticide, 467
Colorado potato beetle, 467
neem, Cecidomyiidae, 1379
Phytoseiidae, 1379
Steinernema, 68
toxicity, 68
neem seed kernel extract, *Azadirachta indica*, 462
Bactrocera dorsalis, 462
Nematoda, *Diabrotica undecimpunctata undecimpuncta*, 97
Steinernema, 97
nematode, cabbage maggot, 614
crucifers, 614
Nicotiana sugar ester isolates, Bemisia argentifolii, 1233
Bemisia tabaci, 1233
nicotine, mode of action, 51
organophosphate, 51
nitrogen fixation, *Cerotoma arcuata*, 165
Phaseolus vulgaris, 165
Nosema locustae, grasshoppers, 841
Melanoplus differentialis, 841
nuclear polyhedrosis virus, Douglas-fir tussock moth, 640
flourescent brightener, 92
genotype variation, 640
Pseudoplusia includens, 92
Nutidulid beetles, aggregation pheromone, 648
trap design, 648

O

Oiketicus kirbyi, bagworm, 396
oil palm, 396
oil, avocado, 1571
Spodoptera exigua, 1571
oil palm, bagworm, 396
Oiketicus kirbyi, 396
olfacatory, Argentine ants, 381
gustatory, 381
onion maggot, crop rotation, 1582
Delia antique, 1582
organophosphate, Insecticide resistance, 27
mode of action, 51
nicotine, 51
Rhyzopertha dominica, 27
organophosphate ear tags, Haematobia irritans, 1513

ivermectin, 1513
Oryzaephilus surinamensis,
esterase, 571
monooxygenase, 571
Ostrinia nubilalis,
Bacillus thuringiensis, 1088, 1399
control model, 852
formulations, 1088
host plant resistance, 82
Spodoptera exigua, 1399
sweet corn, 82
transgenic hybrid, 852
Oswego strain,
Galleria mellonella, 373
Heterorhabditis bacteriophora, 373
Oulema melanopus,
resistance to insects, 1649
Rhopalosiphym padi, 1649
overwintering biology,
damage potential, 1453
Diaspididae, 1453
overwintering survival,
management, 124
potato, 124
oviposition, *Diabrotica virgifera virgifera*, 1010
root injury, 1010
ovipositional preference,
alfalfa, 870
Bemisia argentifolii, 870

P

parasitoid, *Anthonomus grandis grandis*, 1095
in vitro rearing, 1095
patchiness, power law, 1477
regression, 1477
peanut, attractant, 515
Diabrotica undecimpunctata howardi, 515
pear, diflubenzuron, 621
pear psylla, 621
pear psylla,
diflubenzuron, 621
pear, 621
peas, *Bruchus pisorum*, 775
feeding behavior, 775
Pectinophora gossypiella,
Bemisia tabaci, 1288
cultural control, 175
degree-days, 881
development, 881
Lygus hesperus, 1288
short-season cotton, 175
Peridroma,
degree-days, 877
Meteorus, 877
Perillus bioculatus,
Leptinotarsa decemlineata, 1116
Podisus maculiventris, 1116
perimeter baiting, insect growth regulator, 1501
Monomorium pharaonis, 1501
perimeter treatment,
containerized baits, 1497
Linepithema humile, 1497
Periplaneta americana,
insecticidal baits, 402
Periplaneta fuliginosa
starvation, 402
Periplaneta fuliginosa
starvation,
insecticidal baits, 402
Periplaneta americana, 402
pest management,
barriers, 134
Iridomyrmex humilis, 134
manure management, 411
Stomoxys calcitrans, 411
petroleum spray oil,
integrated pest management, 493
Phyllocnistis citrella, 493
Phacelia tanacetifolia,
habitat manipulation, 832
Syrphidae, 832
Phaseolus vulgaris,
Cerotoma arcuata, 165
nitrogen fixation, 165
Pheidole megacephala,
Dysmicoccus neobrevipes, 1124
mutualism, 1124
pheromone antagonist,
5-decynyl acetate, 131
Anarsia lineatella, 131
photosynthesis,
chlorosis, 990
Stephanitis pyrioides, 990
photoxin,
alpha-terthienyl, 820
botanical insecticide, 820
Phyllocnistis citrella,
integrated pest management, 493
petroleum spray oil, 493
physiological response,
beef steers, 138
Haematobia irritans, 138
Phytoseiidae,
Cecidomyiidae, 1379
neem, 1379
Pinus ponderosa,
Ips pini, 1537
slash management, 1537
Piophila casei,
deltamethrin, 15
insecticide resistance, 15

pistachio, *Amyelois transitella*, 197
postharvest, 197
plant resistance,
antibiosis, 1040
biotype, 1325
Blissus leucopterous leucopterous, 1318
Callosobruchus maculatus, 1325
Diuraphis noxia, 239
Eoreuma loftini, 536
Helicoverpa zea, 1040
maize, 1318
Saccharum, 536
Triticum aestivum, 239
planting date,
bean leaf beetle, 183
cotton, 343
ecotoxicology, 343
soybean, 183
Platynota idaeusalis,
insect growth regulators, 274
resistance, 274
Platytetranychus multidigitali, *Gleditsia triacanthos*, 1577
'Skyline', 1577
Plecoptera,
diflubenzuron, 442
Trichoptera, 442
Plutella xylostella,
abamectin, 33
Bacillus thuringiensis, 798, 891, 1364
Brassica oleracea, 891
CryIC toxin, 798
resistance, 1364
resistance monitoring, 33
Podisus maculiventris,
Leptinotarsa decemlineata, 1116
Perillus bioculatus, 1116
pollination,
Apis mellifera, 1080
Apis mellifera adansonii, 1213
Cucunis melo, 1213
lowbush blueberry, 1080
pollination effectiveness,
Actinidia deliciosa, 453
Apis mellifera, 453
pome fruit,
Cydia pomonella, 700
Tortricidae, 700
Popillia japonica,
Anomada orientalis, 1556
Cotinis nitida, 156
Cyclocephala spp., 156
Rhizotrogus majalis, 1556
Rhizotrogus majalis, 1262
Strigoderma arboricola, 1262
population bottleneck,
detoxification enzymes, 263
founder event, 263
postharvest, *Amyelois transitella*, 197
Anastrepha suspensa, 1181
Citrus sinensis, 1181
pistachio, 197
potato, management, 124
overwintering survival, 124
potato early dying disease,
defoliation, 1267
Leptinotarsa decemlineata, 1267
potato tuber moth,
"-amylase activity, 39
leafrollers, 39
power law, patchiness, 1477
regression, 1477
predators,
biological control, 1406
Diptera, 1406
presence-absence sampling,
action thresholds, 1468
binomial and beta-binomial probability distributions, 1468
profile analysis,
multivariate analysis of variance, 253
time trends, 253
Prunus spp.,
quarantine, 1186
Rhagoletis completa, 1186
Pseudoplusia includens,
acetylene reduction, 525
defoliation, 525
flourescent brightener, 92
nuclear polyhedrosis virus, 92
Pteromalus puparum,
Artogeia rapae, 63
Cotesia orobenae, 63
pupae,
application pressure, 421
Ctenocephalides felis, 421
pyrethroid, bioassay, 816
bait, 1491
Blattella germanica, 332, 1491
carrot weevil, 1254
Helicoverpa armigera, 816
resistance, 332
synergists, 1254
pyrethroid tolerance,
Helicoverpa zea, 583
insecticide tolerance monitoring, 583
pyriproxyfen, German cockroaches, 1161
wing twisting, 1161

Q

quality control, alcohol dehydrogenase, 1387

Bactrocera oleae, 1387
quarantine,
Ceratitis capitata, 1175
control, 1526
gamma radiation, 1175
Prunus spp., 1186
Rhagoletis completa, 1186
Solenopsis invicta, 1526
quarantine security,
sequential mortality, 950
systems approach, 950
quarantine treatment,
Ceratitis capitata, 695
Cydia pomonella, 56
gamma radiation, 695
larval irradiation, 56

R

random amplified polymorphic DNA,
genetic variation, 1345
Tomicus piniperda, 1345
random amplified polymorphic DNA polymerase chain reaction,
Anastrepha fraterculus, 1208
Ceratitis capitata, 1208
raspberry, spider mite, 771
Tetranychus, 771
rearing, biocontrol, 848
Creophilus maxillosus, 848
refugia,
dieldrin resistance, 288
simulation, 288
regression, patchiness, 1477
power law, 1477
repellents,
Apis mellifera, 608
colony defense, 608
reproduction,
Aphididae, 602
azadirachtin, 602
reproductive biology,
eupyrene sperm, 337
Lymantria dispar, 337
resistance, alfalfa, 1033
Bacillus thuringiensis, 1364
Blattella germanica, 332
cyfluthrin, 1359
fenvalerate, 590
Helicoverpa zea, 590
insect growth regulators, 274
Platynota idaeusalis, 274
Plutella xylostella, 1364
pyrethroids, 332
Sitona hispidulus, 1033
Spodoptera exigua, 1359
resistance mechanisms,
Blattella germanica, 322
insecticide resistance, 322
resistance monitoring,
abamectin, 33, 594
Bemisia argentifolii, 805
insecticide resistance, 805
Plutella xylostella, 33
Tetranychus urticae, 594
resistance ratios,
control potential, 318
German cockroach, 318
resistance to insects,
Oulema melanopus, 1649
Rhopalosiphym padi, 1649
Reticulitermes flavipes,
Coptotermes formosanus, 1156
molting inhibition, 1156
survivorship, 678
termiticide, 678
Rhagoletis completa,
Prunus spp., 1186
quarantine, 1186
Rhizotrogus majalis,
Anomada orientalis, 1556
Popillia japonica, 1262, 1556
Strigoderma arboricola, ,1262
Rhopalosiphym padi,
Oulema melanopus, 1649
resistance to insects, 1649
Rhyzopertha dominica,
Insecticide resistance, 27
organophosphates, 27
Sitophilus oryzae, 211
Tribolium castaneum, 211
rice weevil, sound, 1301
stored product, 1301
ripe stonefruit infestation,
thrips flight activity, 722
Thrips obscuratus, 722
root injury, *Diabrotica virgifera virgifera*, 1010
oviposition, 1010

S

Saccharum,
Eoreuma loftini, 536
plant resistance, 536
sampling,
grasshoppers, 1143
management errors, 1143
Musca domestica, 428
Stomoxys calcitrans, 428
Schizaphis graminum,
electrophoresis, 46
esterase, 46
sequential mortality,
quarantine security, 950

systems approach, 950
sequential sampling,
Brachycaudus helichrysi, 1460
sunflower, 1460
short-season cotton,
cultural control, 175
Pectinophora gossypiella, 175
silicone surfactants,
diazinon, 1566
tephritidae, 1566
simulated defoliation,
soybean, 751
yield models, 751
simulation,
dieldrin resistance, 288
refugia, 288
Sitona hispidulus,
alfalfa, 1033
resistance, 1033
Sitona lineatus, *Bacillus thuringiensis*, 550
*cry*III, 550
Sitophilus oryzae,
Rhyzopertha dominica, 211
Tribolium castaneum, 211
Sitophilus zeamais,
microwaves, 1638
Tribolium castaneum, 1638
Skyline, *Gleditsia triacanthos*, 1577
Platytetranychus multidigitali, 1577
slash management,
Ips pini, 1537
Pinus ponderosa, 1537
snow cover, *Diuraphis noxia*, 1281
winter mortality, 1281
soil, *Graphognathus leucoloma*, 1372
methyl isothiocyanate, 1372
soil pupation,
citrus thrips, 1438
leaf litter, 1438
Solenopsis invicta,
control, 1526
current, 347
electric fields, 347
quarantine, 1526
somaclones,
Apium graveolens, 218
Spodoptera exigua, 218
sorghum, greenbugs, 558
host plant resistance, 558
sound, rice weevil, 1301
stored product, 1301
southern green stink bug,
host plant suitability, 996
Macadamia integrefolia, 996
soybean, *Anticarsia gemmatalis*, 1601
bean leaf beetle, 183
Cerotoma trifurcata, 189
damage, 189
Epilachna varivestis, 1601
planting date, 183
simulated defoliation, 751
yield models, 751
spatial dispersion,
egg sampling, 1531
Lambdina fiscellaria lugubrosa, 1531
spider mite, raspberry, 771
Tetranychus, 771
Spodoptera exempta,
armyworm, 1
database, 1
Spodoptera exigua,
Apium graveolens, 218
avocado, 1571
Bacillus thuringiensis, 1399
cyfluthrin, 1359
oil, 1571
Ostrinia nubilalis, 1399
resistance, 1359
somaclones, 218
Spodoptera littoralis,
Bacillus thuringiensis, 791
insecticidal toxin, 791
spray oil,
Celtis sinensis, 481
Coccus pseudomagnoliarum, 481
spruce spider mite,
Acari, 447
degree-days, 447
Steinernema, *Diabrotica undecimpunctata undecimpuncta*, 97
neem, 68
Nematoda, 97
toxicity, 68
Stephanitis pyrioides,
chlorosis, 990
photosynthesis, 990
Stomoxys calcitrans,
cyromazine, 689
manure management, 411
Musca domestica, 428, 689
pest management, 411
sampling, 428
toxicant devices, 1521
Williams traps, 1521
stored product,
rice weevil, 1301
sound, 1301
Strigoderma arboricola,
Popillia japonica, 1262
Rhizotrogus majalis, 1262
subterranean termite,
feeding, 915
foraging behavior, 915
foraging population,

1485
triple mark-recapture technique, 1485
sunflower, *Brachycaudus helichrysi*, 1460
sequential sampling, 1460
suppression, defoliation, 1192
Lymantria dispar, 1192
survival analysis, *Anthonomous grandis*, 715
Heliothis virescens, 715
survivorship, *Reticulitermes flavipes*, 678
termiticide, 678
sweet corn, beta-binomial distribution, 386
decision making, 386
host plant resistance, 82
Ostrinia nubilalis, 82
sweetpotato, *Cylas formicarius*, 544
Ipomoea batatas, 544
synergists, carrot weevil, 1254
pyrethroids, 1254
Syrphidae, habitat manipulation, 832
Phacelia tanacetifolia, 832
systems approach, quarantine security, 950
sequential mortality, 950

T

Tapinoma melanocephalum, *Linepithema humile*, 673
Monomorium pharaonis, 673
Tephritidae, *Anastrepha*, 654
diazinon, 1566
Diptera, 654
silicone surfactants, 1566
termites, borates, 682
wood preservation, 682
termiticide, *Reticulitermes flavipes*, 678
survivorship, 678
Tetranychus, raspberry, 771
spider mite, 771
Tetranychus urticae, abamectin, 488, 594
amitraz, 1130
avermectin, 1250
bioassay, 488
dicofol, 1130
genetic differentiation, 1354
insecticide resistance, 1354
resistance monitoring, 594
translaminar activity, 1250
thermal unit, *Cerotoma trifurcata*, 111
degree-day, 111
thrips flight activity, ripe stonefruit infestation, 722
Thrips obscuratus, 722
Thrips obscuratus, ripe stonefruit infestation, 722
thrips flight activity, 722
tillage, corn borer, 1587
cultural control, 1587
time trends, multivariate analysis of variance, 253
profile analysis, 253
tissue hardness, Hemiptera, 1446
Macrolophus caliginosus, 1446
tobacco budworm, bollworm, 230
transgenic cotton, 230
tobacco etch virus, Aphididae, 1017
host-plant location, 1017
tolerance, manure, 1608
western corn rootworm, 1608
Tomicus piniperda, genetic variation, 1345
random amplified polymorphic DNA, 1345
Tortricidae, *Cydia pomonella*, 700
pome fruit, 700
toxicant devices, *Stomoxys calcitrans*, 1521
Williams traps, 1521
toxicity, *Bacillus thuringiensis* subsp. *aizavai*, 359
cyromazine, 1074
Mamestra configurata, 359
Manduca sexta, 1074
neem, 68
Steinernema, 68
transgenic cotton, bollworm, 230
tobacco budworm, 230
transgenic hybrid, control model, 852
Ostrinia nubilalis, 852
transgenic potatoes, Colorado potato beetle, 1047
cross-resistance, 1047
translaminar activity, avermectin, 1250
Tetranychus urticae, 1250
trap design, aggregation pheromone, 648
Nutidulid beetles, 648

trapping, *Anthonomus grandis grandis*, 170
cotton, 170
traps, cattle, 415
Haematobia, 415
Tribolium castaneum, microwaves, 1638
Rhyzopertha dominica, 211
Sitophilus oryzae, 211
Sitophilus zeamais, 1638
Trichoptera, diflubenzuron, 442
Plecoptera, 442
triple mark-recapture technique, foraging population, 1485
subterranean termite, 1485
Triticum aestivum, *Diuraphis noxia*, 239
plant resistance, 239

U,V

ultra violet lamp, fluorescent microscopy, 946
marked sterile flies, 946
vegetable, *Bemisia tabaci*, 1663
host plant resistance, 1663
Vitis vinifera, host-plant resistance, 1658
Lobesia botrana, 1658

W

western corn rootworm, manure, 1608
tolerance, 1608
wheat breeding, biotypes, 1309
Mayetiola destructor, 1309
Williams traps, *Stomoxys calcitrans*, 1521
toxicant devices, 1521
wing twisting, German cockroaches, 1161
pyriproxyfen, 1161
winter mortality, *Diuraphis noxia*, 1281
snow cover, 1281
wood preservation, borates, 682
termites, 682

Y,Z

yield models, simulated defoliation, 751
soybean, 751
yield/damage relationships, interactions, 475
Multiple-insect damage, 475
Zabrotes subfasciatus, *Acanthoscelides obtectus*, 204
beans, 204